

## Chopped Strands

### CS 7974


**Polymer**
**PA 12, High-Temperature Thermoplastics**

CS 7974<sup>\*</sup> is used for reinforcement of high-temperature thermoplastics. It was especially developed for PA 12 but also shows excellent properties in a broad variety of higher melting thermoplastics such as PPO and PPS.

**Product Description**

Excellent free-flowing properties

Very high mechanical strength

Good strand integrity

**Technical**
**Characteristics**

Fiber Diameter (nom.) 13 µm

Av. Fiber Length (nom.) 4,5 mm

Glass E-Glass (DIN 1259)

Size Polymeric size containing silane

Moisture content ≤ 0,05 wt%

Size content approx. 0,40 wt%

(Original data ex works)

**Packaging**

Big Bag, (see detailed information on next page)

**Storage**

The glass fiber should be stored in a dry place, preferably at room temperature and 50 - 70 % relative humidity.

**Contact**

For further information please contact:

Mail [glassfiber@lanxess.com](mailto:glassfiber@lanxess.com)

Phone +49 (0)700 glassfiber

+49 (0)700 45277342

## Packaging Information

### CS 7974

**Big Bag, recyclable**

|  |                       |
|--|-----------------------|
| Net Weight                               | 1000 kg               |
| Dimensions Bag                           | 1030 x 1030 x 1400 mm |
| Dimensions Pallet                        | 1140 x 1140 mm (CP3)  |
| Packaging Code                           | BD00 – FA100T         |
| Bottom unloading through discharge spout |                       |


**Disclaimer**

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.

**Values**

Unless specified to the contrary, the values given have been established on standardized test. The figures should be regarded as guide values only and not as binding minimum values.