

## Chopped Strands CS 7968



<b>Polymer</b>	<b>PBT, PET and others</b> <p>CS 7968* is used for reinforcement of a wide range of thermoplastic polyester grades like PBT, PET, PC, PC/ABS blends.</p>	
<b>Product Description</b>	High mechanical strength High strand integrity High resistance to hydrolysis	
<b>Technical Characteristics</b>	Fiber Diameter (nom.)	11 µm
	Av. Fiber Length (nom.)	4,5 mm
	Glass	E-Glass (DIN 1259)
	Size	Polymeric size containing silane
	Moisture content	≤ 0,05 wt%
	Size content	approx. 0,90 wt%
	(Original data ex works)	
<b>Packaging</b>	Big Bag, Octatainer, PE Bags (see detailed information on next page)	
<b>Storage</b>	The glass fiber should be stored in a dry place, preferably at room temperature and 50 - 70 % relative humidity.	
<b>Contact</b>	For further information please contact:	
	Mail	<a href="mailto:glassfiber@lanxess.com">glassfiber@lanxess.com</a>
	Phone	+49 (0)221 8885 7275

## Packaging Information

### CS 7968

#### Big Bag, recyclable

Net Weight	800 kg
Dimensions Bag	870 x 870 x 1400 mm
Dimensions Pallet	1000 x 1200 mm (CP1)
Packaging Code	BC00 – FA080P
Bottom unloading through discharge spout	



#### Telescope Octabin

Net Weight	1000 kg
Dimensions Octabin	1086 x 1086 x 1550 mm
Dimensions Pallet	1100 x 1100 mm
Packaging Code	ZR10 TELESCOPE
Pallet with hole	450 x 450 mm



#### PE Bags

Net Weight Bag	20 kg
Net Weight Pallet	20 kg x 50 = 1000 kg
Dimensions Pallet	1300 x 1100 mm (CP7)
Packaging Code	SD 00 – BA 100E
	10 layers per pallet



#### Disclaimer

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.

#### Values

Unless specified to the contrary, the values given have been established on standardized test. The figures should be regarded as guide values only and not as binding minimum values.